




# CONFORMITY DETERMINATION OF THE 2025-2028 TRANSPORTATION IMPROVEMENT PROGRAM AND RESILIENCE 2050

*Prepared by the Baltimore Regional Transportation Board*



# Conformity Determination of the 2025-2028 Transportation Improvement Program and *Resilience 2050*

---

July 2024

Anthony Russell, Chair of the Baltimore Regional Transportation Board

Todd Lang, Director of Transportation Planning  
Baltimore Metropolitan Council

Produced under the auspices of the Baltimore Regional Transportation Board, the Metropolitan Planning Organization for the Baltimore Region

Baltimore Metropolitan Council  
1500 Whetstone Way, Suite 300  
Baltimore, Maryland 21230

*The Baltimore Regional Transportation Board operates its programs and services without regard to race, color, or national origin in accordance with Title VI of the Civil Rights Act of 1964, and other applicable laws. For more information, to file a Title VI complaint, or to obtain information in another language, visit [www.baltometro.org/non-discrimination](http://www.baltometro.org/non-discrimination) or call 410-732-0500; (TTY 800-735-2258).*

*Qualified individuals with disabilities or those in need of language assistance can receive appropriate services by submitting a request at least seven days prior to a meeting. Call 410-732-0500.*

The U.S. Department of Transportation, (the Federal Highway Administration, and the Federal Transit Administration) and the Maryland Department of Transportation contributed funding towards the preparation of the Addendum to the FY 2020-2021 Unified Planning Work Program

## Baltimore Regional Transportation Board

Member	Empowered Representative
<b>The Honorable Gavin Buckley</b> <i>Mayor, City of Annapolis</i>	Christopher Jakubiak
<b>The Honorable Steuart Pittman</b> <i>Anne Arundel County Executive</i>	Sam Snead
<b>The Honorable Brandon Scott</b> <i>Mayor, City of Baltimore</i>	Corren Johnson
<b>The Honorable John Olszewski, Chair</b> <i>Baltimore County Executive</i>	Anthony Russell
<b>The Honorable Ed Rothstein</b> <i>President, Board of Commissioners, Carroll County</i>	Mary Lane
<b>The Honorable Bob Cassilly</b> <i>Harford County Executive</i>	Alex Rawls
<b>The Honorable Calvin Ball, Vice Chair</b> <i>Howard County Executive</i>	Clarence Dickerson
<b>The Honorable James Moran</b> <i>Commissioner, Queen Anne's County</i>	Steve Cohoon
<b>The Honorable Paul Wiedefeld</b> <i>Secretary, Maryland Department of Transportation</i>	Geoff Anderson
<b>The Honorable Serena McIlwain*</b> <i>Secretary, Maryland Department of the Environment</i>	Catherine Salarano
<b>The Honorable Rebecca Flora*</b> <i>Secretary, Maryland Department of Planning</i>	Bihui Xu
<b>Ms. Holly Arnold*</b> <i>Administrator, Maryland Transit Administration</i>	Elizabeth Gordon
<b>Mr. Jason Quan</b> <i>RTA Central Maryland</i>	Jason Quan

\* Denotes non-voting members

Additional staff support was provided by the Maryland Department of Transportation and the Maryland Department of the Environment. The preparation of this document has been financed through funds provided by the Maryland Department of Transportation and the Baltimore Metropolitan Council as matching shares for funds from the Federal Highway Administration and the Federal Transit Administration of the United States Department of Transportation.

## Table of Contents

<b>LIST OF TABLES</b>	<b>V</b>
<b>LIST OF APPENDICES</b>	<b>V</b>
<b>LIST OF ACRONYMS</b>	<b>1</b>
<b>INTRODUCTION</b>	<b>2</b>
<b>CURRENT ATTAINMENT STATUS FOR NAAQS</b>	<b>3</b>
2015 OZONE NAAQS – 70 PPB	3
2008 OZONE NAAQS – 75 PPB	3
1997 OZONE NAAQS – 80 PPB	3
MOTOR VEHICLE EMISSION BUDGETS (MVEBs)	3
<b>RESILIENCE 2050 – THE BALTIMORE REGION’S LONG-RANGE TRANSPORTATION PLAN</b>	<b>4</b>
<b>CONFORMITY STATEMENT</b>	<b>4</b>
<b>INTERAGENCY CONSULTATION</b>	<b>4</b>
<b>CONFORMITY PROCESS</b>	<b>5</b>
TEST METHOD	5
SELECTION OF HORIZON YEARS	6
EMISSION ANALYSIS SOFTWARE	6
IDENTIFICATION OF EXEMPT AND REGIONALLY SIGNIFICANT PROJECTS	6
TRANSPORTATION CONTROL MEASURE STATEMENT	7
<b>PUBLIC INVOLVEMENT</b>	<b>7</b>
<b>FISCAL CONSTRAINT</b>	<b>8</b>
FORECASTED REVENUES	9
<b>LATEST PLANNING ASSUMPTIONS</b>	<b>10</b>
SOCIOECONOMIC DATA	10
TRANSIT SYSTEMS AND OPERATING ASSUMPTIONS	11
TRANSIT PROJECTS	12
TRANSIT PROJECT CHANGES	14
TRANSIT MODELING RESULTS	15
TOLL FACILITIES	16
SELECTION OF NETWORK FACILITIES	16
<b>TECHNICAL METHODOLOGY</b>	<b>17</b>
PROCEDURES FOR DETERMINING REGIONAL TRANSPORTATION-RELATED EMISSIONS	17
METEOROLOGICAL AND CONTROL STRATEGY ASSUMPTIONS	20
FRANCIS SCOTT KEY BRIDGE COLLAPSE ASSUMPTIONS	20
<b>ANALYSIS RESULTS</b>	<b>22</b>

## List of Tables

Table 1	ICG Meetings Specifically Addressing this Conformity Analysis
Table 2	Horizon Years
Table 3	Transit Ridership Projections
Table 4	VOC Emissions Test Results
Table 5	NOx Emissions Test Results

## List of Appendices

(APPENDICES ARE AVAILABLE ONLINE AT [WWW.BALTOMETRO.ORG](http://WWW.BALTOMETRO.ORG))

Appendix A	Conformity Requirement Matrix
Appendix B	Interagency Consultation
App. C-1, C-2	Conformity Status of Projects from the 2025-2028 TIP
Appendix D	Round 10 Cooperative Forecasts
Appendix E	Excerpt- Baltimore Metropolitan Council InSITE Activity Based Travel Model: Model Validation Report
Appendix F	HPMS Adjustment Factors
Appendix G	Resolutions
Appendix H	Public Participation
Appendix I	Emission Reduction Strategies in the Region
Appendix J	MDOT Financial Forecast, August 2022

## **List of Acronyms**

ABM	Activity Based Model
BMC	Baltimore Metropolitan Council
BRTB	Baltimore Regional Transportation Board
BWI	Baltimore Washington International Thurgood Marshall Airport
CAAA	Clean Air Act Amendments
CFG	Cooperative Forecasting Group
EPA	Environmental Protection Agency
FHWA	Federal Highway Administration
FTA	Federal Transit Administration
HPMS	Highway Performance Monitoring System
ICG	Interagency Consultation Group
InSITE	Initiative to Simulate Individual Travel Events, BMC's activity based model
L RTP	Long Range Transportation Plan
MDE	Maryland Department of the Environment
MDOT	Maryland Department of Transportation
MOVES	Motor Vehicle Emission Simulator
MPO	Metropolitan Planning Organization
NAAQS	National Ambient Air Quality Standards
NOx	Nitrogen Oxides
Ppb	Parts Per Billion
RFP	Reasonable Further Progress
SIP	State Implementation Plan
TAZ	Transportation Analysis Zone
TIP	Transportation Improvement Program
VMT	Vehicle Miles Traveled
VOC	Volatile Organic Compounds

## INTRODUCTION

The transportation conformity process is required under the Clean Air Act Amendments (CAAA) to ensure that transportation planning and air quality planning processes within a state are coordinated. Emissions from mobile sources are amongst the most significant contributors to ozone pollution. Because of this, the transportation conformity process is a critical element of the region's and the State's efforts to address environmental issues.

This report documents the demonstration of transportation conformity of the 2025-2028 Transportation Improvement Program (TIP) and *Resilience 2050*, the long-range transportation plan for the Baltimore region (Plan), to address conformity to the 8-hour ozone National Ambient Air Quality Standard (NAAQS). Under the CAAA of 1990, areas designated as nonattainment for a NAAQS are required to review their current transportation plans and programs to ensure conformity with the applicable state air quality implementation plan. Since the passage of the CAAA, U. S. Environmental Protection Agency (EPA) released a final rule on November 24, 1993 outlining methods for nonattainment areas to conduct conformity analyses of plans and programs. EPA has amended the final rule (Conformity Rule) on a number of occasions, with the most recent occurring in April 2012.

The conformity analysis documented here was conducted through a quantitative and qualitative review of the projects in the Plan and TIP. The conformity determination process ensures that long-range transportation plans and short-term programs contribute to air quality improvement objectives delineated in the State Implementation Plan. In determining conformity, staff at the Maryland Department of the Environment (MDE) and the Baltimore Metropolitan Council (BMC) estimate the future emissions produced by the planned transportation system. These emission projections are then compared with the emission levels established in the State Implementation Plan.

This conformity determination is undertaken by the Baltimore Regional Transportation Board (BRTB), in its capacity as the Metropolitan Planning Organization (MPO) for the Baltimore metropolitan area. The BRTB, assisted by the Baltimore Metropolitan Council and in conjunction with the Maryland Departments of the Environment and Transportation, conducted a comprehensive analysis of conformity of the Plan and the TIP for the Baltimore region. The approach used for this conformity determination was developed in concert with the Conformity Rule.



## **CURRENT ATTAINMENT STATUS FOR NAAQS**

### **2015 Ozone NAAQS – 70 ppb**

The Baltimore region is designated as “moderate” nonattainment for the 2015 8-hour ozone standard. The standard is 0.070 parts per million (ppm). This designation became effective November 7, 2022. The region failed to attain the marginal nonattainment standard by the attainment date of August 3, 2021, so was reclassified as moderate nonattainment. The new attainment date is August 3, 2024, but attainment must be demonstrated by the last full ozone season prior to the attainment date, which was August 2023. In 2023, there were massive smoke events caused by large-scale wildfires in Quebec, Canada. EPA promulgated the Exceptional Events Rule in 2016 whereby state air agencies may request that certain data be excluded from design value calculations due to “unusual or naturally occurring events that can affect air quality but are not reasonably controllable,” which includes wildfires.<sup>1</sup> As a result, MDE submitted Exceptional Events requests for 6 days in 2023 that were impacted by smoke. The region has one year to perform a conformity determination for this NAAQS. The 2020-2022 design value for the Baltimore region is 68 ppb.

### **2008 Ozone NAAQS – 75 ppb**

In 2012, the region was designated as “moderate” nonattainment for the 2008 8-hour ozone NAAQS. At the time, under this rule the Baltimore region was designated the only “moderate” ozone nonattainment area for the 2008 8-hour ozone standard in the East. The Baltimore region’s attainment date for the 2008 Ozone NAAQS was July 20, 2018. On August 23, 2019, the U. S. Environmental Protection Agency (EPA) determined that the Baltimore region had met the NAAQS by the attainment date, and issued a Clean Data Determination.

### **1997 Ozone NAAQS – 80 ppb**

In 2004, EPA designated the Baltimore region as “moderate” for the 1997 8-hour ozone NAAQS. Later, the Baltimore region was reclassified as “serious”.<sup>2</sup> In 2015, EPA determined that the Baltimore region had met the 1997 ozone NAAQS. In that same year, EPA revoked the 1997 ozone NAAQS, meaning that the designations for that standard were no longer in effect.

### **Motor Vehicle Emission Budgets (MVEBs)**

Mobile source emissions are amongst the most significant local contributors to the Baltimore area’s ozone problem. The most current ozone motor vehicle emissions budgets approved or deemed adequate by EPA are used in the transportation conformity process. This conformity determination demonstrates conformity to the 1997 ozone NAAQS, the 2008 ozone NAAQS, and the 2015 ozone NAAQS using the 2023 Motor Vehicle Emission Budget (MVEB). The 8-hour ozone

---

<sup>1</sup> <https://www.epa.gov/air-quality-analysis/treatment-air-quality-monitoring-data-influenced-exceptional-events>

<sup>2</sup> In 2015, the EPA issued a final rule revoking the 1997 ozone NAAQS. (80 FR 12264) However, a February 2018 court ruling reinstated the 1997 ozone NAAQS conformity requirement.

2023 MVEB was prepared by the Maryland Department of the Environment (MDE) and contains motor vehicle emissions budgets for volatile organic compounds (VOC) and nitrogen oxides (NO<sub>x</sub>). The 2023 MVEBs were determined by EPA as adequate for use in conformity determinations, as published in the Federal Register on August 18, 2023.

## **RESILIENCE 2050 – THE BALTIMORE REGION’S LONG-RANGE TRANSPORTATION PLAN**

*Resilience 2050* (Plan) is the financially constrained long-range transportation plan for the Baltimore region, and was approved by the Baltimore Regional Transportation Board (BRTB), the region’s federally-designated metropolitan planning organization (MPO), on July 25, 2023.

The new short-range Transportation Improvement Program (TIP) for FY 2025-2028 is planned for approval concurrent with the conformity determination. This conformity determination shows conformity of the 2025-2028 TIP and *Resilience 2050* long-range transportation plan.

## **CONFORMITY STATEMENT**

The conformity rule, as it applies to the Baltimore nonattainment area, requires the Plan and TIP to conform to the motor vehicle emissions budgets established in the SIP. The applicable State Implementation Plan (SIP) for this Conformity Determination of *Resilience 2050* and the 2025-2028 TIP is the 2023 8-hour ozone Motor Vehicle Emission Budget (MVEB) for the Baltimore region (motor vehicle emission budgets determined adequate by EPA on August 18, 2023). Appendix A contains a matrix, which provides responses to all of EPA’s criteria as applicable to this conformity determination.

The results of the conformity analysis for the Baltimore nonattainment area indicate that the projected mobile source emissions are below the most recent approved/ adequate motor vehicle emission budgets for the established analysis years of 2023, 2025, 2035, 2045 and 2050. Therefore, it is the conclusion of the BRTB, in its capacity as the MPO for the Baltimore region that *Resilience 2050* and the 2025-2028 Transportation Improvement Program are found to be in conformity with the requirements of the Clean Air Act Amendments of 1990 and the relevant sections of the Final Transportation Conformity Regulations 40 CFR Part 93.

## **INTERAGENCY CONSULTATION**

Under Section 93.105 of the Conformity Rule, each SIP revision must include procedures for interagency consultation before making conformity determinations, and also procedures to be undertaken by air quality agencies and transportation agencies before developing applicable implementation plans. On November 9, 2006, after public review and comment, Maryland state regulations codifying the interagency consultation process (26.11.26) were updated to reflect transportation conformity regulations for the 8-hour ozone and PM<sub>2.5</sub> NAAQS, the changes to the

Conformity Rule, as well as incorporation of existing federal guidance that is consistent with a U.S. Court of Appeals decision.

For the Baltimore region, the BRTB established the Interagency Consultation Group (ICG) to carry out the consultation process and provide recommendations on air quality topics. Final procedures for consultation were prepared and formally endorsed by consultation members (TSC Resolution #96-12). Final consultation procedures were developed through a cooperative effort involving staff to the BRTB, MDOT and MDE staffs, as well as EPA, Federal Highway Administration (FHWA) and Federal Transit Administration (FTA) representatives. These procedures provide the framework that the BRTB follows in making conformity determinations.

The ICG meets formally to discuss and recommend appropriate procedures for determining conformity of the Plan and TIP. These meetings are critical to the findings reported in this document, as well as to the development of the consultation procedures that will govern future conformity determinations. ICG meetings provide an additional forum for public participation and input to the process, including comments on technical methodologies. Meetings are advertised on the BMC website. Agendas, meeting minutes, and necessary materials are emailed to interested parties and are also on the BMC website.

**Table 1. ICG Meetings Specifically Addressing this Conformity Analysis**

February 7, 2024	Review and approval of methodology/assumptions
April 3, 2024	Review and approval of conformity status of projects
May 15, 2024	ICG approves conformity determination regional emissions analysis results.
July 2, 2024	ICG and Technical Committee recommendation for BRTB approval of conformity determination.

Please see Appendix B for more information on the Interagency Consultation Process related to this conformity determination. Decisions relating to the exempt/non-exempt status of projects are available in Appendix C.

## **CONFORMITY PROCESS**

### **Test Method**

One of the first steps in the conformity determination process is to determine which test method to use – whether an interim emissions test or a budget test, and what the applicable budgets are. Through interagency consultation, it was determined that the budget test would be used to address the ozone NAAQS.

The conformity determination for the 2015 ozone NAAQS was performed using the 2023 MVEBs for VOCs and NO<sub>x</sub>, because they are the most recent budgets deemed adequate by the EPA.

## Selection of Horizon Years

In order to perform the technical analysis for the Plan and TIP, five horizon years were chosen through interagency consultation in order to analyze emission results. The date of full implementation of the long-range transportation plan, 2050, is a required model year. 2023 is being used as a horizon year because it is within 10 years of the base year for the SIP, which is 2017. The second horizon year, 2025, is the near term year, which may be no more than 10 years from the base year used to validate the transportation demand planning model. The current transportation demand planning model validation base year is 2019, and 2025 is within 10 years of 2019. The in-between horizon years, 2035 and 2045, are test scenarios set so that there are no more than 10 years between horizon years. The years of analysis shown in Table 2 have been determined in keeping with federal requirements.

**Table 2. Horizon Years**

Year	Analysis Required	Ozone Test
2023	Yes – attainment year, and no more than 10 years from base year of the SIP, 2017	Budget Test – 2023 MVEB
2025	Yes – within 10 years of transportation demand model base year 2019	Budget Test – 2023 MVEB
2035	Yes – intermediate year	Budget Test – 2023 MVEB
2045	Yes – intermediate year	Budget Test – 2023 MVEB
2050	Yes – last year of transportation plan	Budget Test – 2023 MVEB

## Emission Analysis Software

The EPA-developed MOVES3 motor vehicle emissions model, in combination with PPSuite, was used to assist the analysis of emissions of volatile organic compounds and oxides of nitrogen resulting from on-road mobile sources in the Baltimore region. PPSuite is a software package used to pre-format and post-format data to and from MOVES3.

Staff in the BMC Transportation Planning Division applied the travel forecasting model to horizon year scenarios to assess highway and transit system travel and speed impacts of implementing the region's proposed transportation plan (Plan) and program (TIP). Upon completion of travel forecasting, MDE used the MOVES3 computer model to estimate the emission effects of the projected transportation system usage and performance characteristics.

## Identification of Exempt and Regionally Significant Projects

All projects from the 2025-2028 TIP were reviewed and categorized by the ICG as either “exempt” or “non-exempt.” Projects that are exempt from the conformity requirement may proceed forward even if there is no conforming plan and TIP. Exempt projects are identified in §93.126 and §93.127 of the Conformity Rule. Exempt projects in the TIP generally include projects with neutral or de minimis emissions impacts such as road rehabilitation and resurfacing, streetscape improvements, bridge replacements and bicycle and pedestrian facilities.

Non-exempt projects are not exempt from the requirement to determine conformity. Non-exempt, regionally significant projects are included in the regional emissions analysis. According to §93.101 of the Conformity Rule, regionally significant projects are transportation projects, other than an exempt project, that are “on a facility which serves regional transportation needs (such as access to and from the area outside of the region, major activity centers in the region, major planned developments such as new retail malls, sports complexes, etc., or transportation terminals as well as most terminals themselves) and would normally be included in the modeling of a metropolitan area’s transportation network, including, at a minimum, all principal arterial highways and all fixed guideway transit facilities that offer an alternative to regional highway travel.” According to §93.122 of the Conformity Rule, projects which are non-exempt and not regionally significant are not required to be modeled explicitly, but vehicle miles traveled (VMT) must be estimated according to reasonable professional practice.

### **Transportation Control Measure Statement**

The current SIP does not include any Transportation Control Measures. Therefore, neither the budgets nor the conformity analysis reflect Transportation Control Measures. The region continues to program and implement emission reduction measures in many areas, including commuter assistance activities, bicycle and pedestrian activities, park-and-ride lots, public transit, management and operations projects, preferential parking management, as well as clean vehicles, fuels and technologies. Appendix I provides descriptions of some of the emission reducing activities in the region.

## **PUBLIC INVOLVEMENT**

The BRTB adopted an updated Public Participation Plan in December 2022. The plan updates information detailed in a previous version based on new guidance on meaningful public engagement, a new Executive Order 13985: Advancing Racial Equity and Support for Underserved Communities. In addition, the PPP aligns with the [Fixing America’s Surface Transportation \(FAST\) Act](#), a federal law that authorizes transportation funding to address such topics as new technologies and a review of the most effective public involvement practices. The plan was created in coordination with the Transportation CORE and other stakeholders. The public involvement procedures provide a framework and methodology for involving the public in all metropolitan planning activities. The Public Participation Plan is available online.

There is a 30(+) day public comment period on the Draft Conformity Determination, beginning in May 2024. This public comment period meets the transportation conformity public participation requirements in 93.105 (e) of the Conformity Rule, which states that reasonable public access be provided to technical and policy information at the beginning of the public comment period and prior to taking formal action on a conformity determination for all transportation plans and TIPs. There are opportunities for the public to comment on the Draft Conformity Determination during several meetings listed below.

- May 15, 2024 Interagency Consultation Group – ICG addresses emission results

- May 16 - June 17, 2024 – Public comment period including a virtual meeting for the 2025-2028 TIP and Air Quality Conformity
- June 25, 2024 BRTB Meeting – public participation opportunity
- July 2, 2024 Joint Interagency Consultation Group/Technical Committee Meeting – the ICG and TC address the Conformity Determination of the TIP and Plan
- July 23, 2024 BRTB Meeting – BRTB addresses the Conformity Determination of the TIP and Plan

The Conformity Determination and its appendices are available at [www.baltometro.org](http://www.baltometro.org) and [PublicInput.com/BRTB-TIP](http://PublicInput.com/BRTB-TIP) throughout the public comment period. The document is available online and upon request could be available in printed or an alternative format.

## **FISCAL CONSTRAINT**

The most recent federal transportation legislative program was signed on November 15, 2021. The Bipartisan Infrastructure Law, as enacted in the Infrastructure Investment and Jobs Act, authorizes the largest federal investment in public transportation in the nation's history. The IIJA and its predecessor, the FAST Act, require regional transportation plans to be fiscally constrained. That is, the total estimated costs of projects and programs cannot exceed forecasted revenue levels.

For *Resilience 2050*, the BRTB, in consultation with the Maryland Department of Transportation, has forecasted the amount of revenues from federal, state, local, and private sources the region reasonably expects will be available for the 23-year period from 2028-2050.

## Forecasted Revenues

Consistent with MDOT assumptions, the BRTB has assumed that 36.1% of statewide revenues (federal + state + private funds) will be available for the Baltimore region for the 2028-2050 period. Shown below are revenues (from federal, state, and private sources) expected to be available for the 2028-2050 period, broken down by type of investment:

Type of Investment	2028-2050 Financial Forecast
System Operations	\$37.007 billion
System Preservation	\$20.883 billion
Expansion	\$12.062 billion
<b>Total Revenues</b>	<b>\$69.952 billion</b>

### Fiscal Constraint: Forecasted Revenues vs. Expansion Project Costs

Most projects in *Resilience 2050* are expansion projects that compete for the \$12.062 billion in state and federal expansion funds anticipated to be available from 2028-2050. The table below shows a breakdown of forecasted revenues versus total estimated YOE costs for expansion projects in *Resilience 2050*. Included in this breakdown are set-aside funds for small programs intended to improve air quality and for Locally Operated Transit Systems (LOTS). This breakdown demonstrates that the region expects to have sufficient funds to pay for expansion projects in *Resilience 2050* from 2028-2039 and 2040-2050.

	Category	2028-2039	2040-2050	2028-2050
<b>Estimated Expansion YOE Costs</b>	Projects	\$3,607,000,000	\$8,084,000,000	\$11,691,000,000
	Small Program Set-Asides	\$45,000,000	\$205,000,000	\$250,000,000
	LOTS	\$30,000,000		\$30,000,000
	<b>Total</b>	<b>\$3,682,000,000</b>	<b>\$8,289,000,000</b>	<b>\$11,971,000,000</b>
<b>Forecasted Expansion Revenues</b>		<b>\$3,706,000,000</b>	<b>\$8,356,000,000</b>	<b>\$12,062,000,000</b>

### Fiscal Constraint: Forecasted Revenues vs. System Preservation Costs

*Resilience 2050* also includes several large-scale system preservation projects along with an estimated breakdown of future system preservation expenditures by category provided by MDOT MTA and MDOT SHA. Including further details on anticipated system preservation needs in *Resilience 2050* reflects the increasing importance of system preservation at the national,



state and regional level. As our transportation infrastructure ages, system preservation expenditures comprise an increasing share of transportation budgets.

The financial forecast for *Resilience 2050* includes estimated revenues of \$20.883 billion in state and federal system preservation funds available from 2028-2050. Below is a breakdown of estimated YOE system preservation expenditures versus forecast revenues by project type. This breakdown includes YOE costs for 13 system preservation projects included in *Resilience 2050*.

		2028-2039 (Millions)	2040-2050 (Millions)	2028-2050 (Millions)
<b>Roadway Estimated System Preservation YOE Costs</b>	Transportation Alternatives	\$127	\$155	\$282
	Environmental	\$453	\$552	\$1,005
	Congestion Management	\$457	\$557	\$1,014
	Bridge Replacement and Rehabilitation	\$1,525	\$1,444	\$2,969
	Resurfacing and Rehabilitation	\$1,758	\$2,139	\$3,897
	Safety and Spot	\$1,043	\$1,270	\$2,313
	Urban Reconstruction	\$429	\$72	\$501
	<b>Roadway Subtotal</b>	<b>\$5,792</b>	<b>\$6,189</b>	<b>\$11,981</b>
<b>Transit Estimated System Preservation YOE Costs</b>	Guideway	\$296	\$541	\$837
	Facilities	\$464	\$102	\$566
	Systems	\$291	\$501	\$792
	Stations	\$515	\$833	\$1,348
	Vehicles	\$1,804	\$3,555	\$5,359
	<b>Transit Subtotal</b>	<b>\$3,370</b>	<b>\$5,532</b>	<b>\$8,902</b>
<b>Total Estimated System Preservation YOE Costs</b>		<b>\$9,162</b>	<b>\$11,721</b>	<b>\$20,883</b>
<b>Forecasted System Preservation Revenues</b>		<b>\$9,162</b>	<b>\$11,721</b>	<b>\$20,883</b>

The main resource used to determine the funding anticipated to be available for implementing the projects in *Resilience 2050* is the document titled *Financially Constrained Long Range Plan, Year 2022 to 2050 Update for the Baltimore Metropolitan Area*, prepared by MDOT. This document is included in Appendix J.

## LATEST PLANNING ASSUMPTIONS

### Socioeconomic Data

Estimates of travel on horizon year networks are based on the completed Round 10 cooperative forecasts. These forecasts were endorsed by the BRTB at their June 28, 2022 meeting. The Cooperative Forecasting Group (CFG), a subcommittee of the BRTB, is responsible for the development of the socioeconomic forecasts that serve as inputs to the region's activity-based



travel demand model (InSITE). Membership of the CFG is comprised of local government staff, and the group meets bimonthly to discuss demographic trends and future growth expectations.

The CFG utilizes a “bottom-up” forecasting approach, where group members develop the forecasts for their own jurisdictions, with the individual forecasts summing to a regional total. These agreed-upon regional forecasts represent a planning scenario created to extend through 2050. The CFG members provide Transportation Analysis Zone (TAZ) level forecasts for the number of households, total population, group quarters population, and total employment. Utilizing federal, state, and private sources, BMC staff supplements the CFG’s TAZ estimates and forecasts with additional data points to support the travel demand model including: median household income; household labor force; enrollment; and employment by industry. The TAZ level estimates are inputs into demographic sub-models and a population component of change (births, deaths and migration) model used in estimating jurisdiction and TAZ household and population marginal distributions. The software package PopGen 2.0, with marginal distributions inputs, is used to synthesize a household and household person roster database. This rich set of household and person characteristics is used to estimate daily activity patterns, and serve as inputs into InSITE. Appendix D displays jurisdictional totals for the major socioeconomic data.

## **Transit Systems and Operating Assumptions**

The Baltimore Metropolitan Council maintains an Activity Based Model (ABM), known locally as Initiative to Simulate Individual Travel Events (InSITE), for the Baltimore ozone non-attainment area which includes Anne Arundel County, Baltimore City, Baltimore County, Carroll County, Harford County, Howard County and Queen Anne’s County. The InSITE ABM is composed of three major inputs: 1) synthetic household and population database, 2) transportation networks and 3) person daily activity pattern tour and trip roster estimated from an analysis of the 2008 Household Travel Survey. The InSITE model was recently calibrated using the 2019 Maryland Household Travel Survey and validated to 2019 observed data – daily and AM/PM peak period traffic counts, MTA transit route ons/offers, and 2019 Location Based Service (LBS) device data. The transit network includes all bus and rail transit service for the Baltimore region. This includes the following service providers and a description of their operations:

- **Baltimore Link / MDOT Maryland Transit Administration (MDOT MTA)**
  - Modes: Metro-SubwayLink, Light RailLink, Commuter Rail (MARC), CityLink (bus), LocalLink (bus), Express BusLink (bus), and Commuter Bus, MobilityLink (paratransit)
  - Serves: Anne Arundel County, Baltimore City, Baltimore County, Harford County, Howard County and Queen Anne’s County
  - Number of Bus Routes: 84
  - Map: [MDOT MTA System Map](#)
- **Regional Transportation Agency (RTA)**
  - Modes: Local Bus
  - Serves: Anne Arundel County & Howard County

- Number of Bus Routes: 15
- Map: [RTA System Map](#)
- **Trailblazer / Carroll Transit**
  - Modes: Local Bus
  - Serves: Carroll County
  - Number of Bus Routes: 4
  - Route Information: [Trailblazer Routes](#)
- **Harford Transit**
  - Modes: Local Bus
  - Serves: Harford County
  - Number of Bus Routes: 7
  - Map: [LINK System Map](#)
- **Annapolis Transit**
  - Modes: Local Bus
  - Serves: Anne Arundel County
  - Number of Bus Routes: 7
  - Map: [Annapolis Transit System Map](#)
- **Baltimore County Circulator (service initiated 2022)**
  - Modes: Local Bus
  - Serves: Baltimore County
  - Number of Bus Routes: 2
  - Map: [The Loop](#)

## Transit Projects

BMC staff reviews each providers' periodic changes to their service and incorporates those changes into InSITE's transit network. BMC models transit networks for a validation year (2019) and air quality conformity horizon years of 2023, 2025, 2035, 2045 and 2050. These networks include transit projects found in the Transportation Improvement Program (TIP) and the long-range transportation plan (*Resilience 2050*). The following projects change the transit service for the region in the future:

- **Anne Arundel Countywide Microtransit** - The County would expand microtransit service in the County from one zone in the south to 7 zones, providing on-demand transit services to connect to existing fixed route services across the entire county. A *Resilience 2050* project, with a horizon year of 2035.
- **Annapolis to New Carrollton Transit** - New Express Bus service between Parole and New Carrollton with stops at major communities along the way. A *Resilience 2050* project, with a horizon year of 2035.

- **Glen Burnie to Annapolis Transit** - New Express Bus service between Annapolis/Parole and Glen Burnie. A *Resilience 2050* project, with a horizon year of 2035.
- **Annapolis to Fort Meade / Columbia Transit** - New Express Bus service between Parole and Columbia with primary service to Fort Meade and stops at major communities along the way. A *Resilience 2050* project, with a horizon year of 2035.
- **MDOT MTA Commuter Bus Service (Harford County)** – Additional MDOT MTA Commuter Bus Service from Harford County to downtown Baltimore and Harbor East. Includes connections with Harford Transit. A *Resilience 2050* project, with a horizon year of 2035.
- **U.S. 29 Bus Rapid Transit (BRT)** – new BRT service connecting Ellicott City to Columbia, Maple Lawn and Burtonsville at MD 198 in Montgomery County, integrating with Montgomery County improvements and including development of a transit center in Downtown Columbia. A *Resilience 2050* project, with a horizon year of 2035.
- **MDOT MTA East-West Corridor** - New east-west transit service to connect major Baltimore region destinations like West Baltimore, Downtown, East Baltimore, and the western suburbs as identified in the RTP. A *Resilience 2050* project, with a horizon year of 2035.
- **Aberdeen MARC Station** – Transit Oriented Development (TOD) and new train station including additional parking, U.S. 40 “Green Boulevard,” and removal of the pedestrian overpass and replacement with Station Square Plaza – a new pedestrian underpass and green, terraced plaza. A *Resilience 2050* project, with a horizon year of 2045.
- **U.S. 1 Bus Rapid Transit (BRT)** – new BRT service between the Dorsey MARC station and the Laurel MARC Station, the City of Laurel, College Park, and the Purple Line Light Rail station. A *Resilience 2050* project, with a horizon year of 2045.
- **BWI Bus Rapid Transit (BRT)** – new BRT service between the Dorsey MARC station and the BWI Light Rail station (with stops at the Arundel Mills Mall and the BWI consolidated rental car facility). A *Resilience 2050* project, with a horizon year of 2045.
- **MDOT MTA North-South Corridor** – New north-south transit service to connect Towson to Downtown Baltimore, with associated investments to significantly improve the speed and reliability of transit service in this busy corridor, as identified in the RTP. A *Resilience 2050* project, with a horizon year of 2045.
- **MDOT MTA Transit Hubs** – MDOT MTA has identified transit hub locations as part of the RTP. Typically, a transit hub includes enhanced amenities (shelters, benches, information). These projects are still in planning, but service changes in the form of reduced headways are assumed. Resilience 2050 includes the following 17 MDOT MTA transit hubs (horizon year in parenthesis):
  - Charles Center (2035)
  - Mondawmin (2028) – This one is included as a new project in the 2025-2028 TIP
  - Penn Station (2035)
  - Penn-North (2045)
  - Rogers Avenue (2045)
  - Owings Mills (2045)
  - Patapsco (2045)

- BWI Airport (2050)
- Glen Burnie (2050)
- Bayview Medical Center (2050)
- Camden Station (2050)
- Johns Hopkins Hospital (2050)
- Lexington Market (2050)
- State / Cultural Center (2050)
- UM Medical Center (2050)
- Essex (2050)
- White Marsh (2050)

### **Transit Project Changes**

In January 2024, the Maryland Department of Transportation Maryland Transit Administration (MDOT MTA) announced proposed reduction in Commuter Bus Service starting on July 1, 2024. The service reduction is in response to the financial deficit in state transportation funding. The following lists show projects that have routes connecting in the Baltimore region.

The proposed service changes would discontinue service on the following six routes:

- 203 – Columbia to Bethesda
- 220 – Annapolis to Washington, D.C.
- 240 – Kent Island to Washington, D.C.
- 260 – Severna Park & Davidsonville to Washington, D.C.
- 410 – Churchville to Baltimore
- 411 – Hickory to Hopkins Hospital/Baltimore

The proposed service changes would reduce the number of trips on the following 11 routes:

- 201 – Gaithersburg Park & Ride to BWI Marshall Airport
- 210 – Kent Island to Annapolis/Baltimore
- 230 – Annapolis/Severna Park to Washington, D.C.
- 305 – Columbia/Silver Spring to Washington, D.C.
- 310 – Columbia to Baltimore
- 315 – Columbia/Silver Spring to Washington, D.C.
- 320 – Laurel to Baltimore
- 325 – Columbia/Silver Spring to Washington, D.C.
- 335 – Clarksville/Columbia to Washington, D.C.
- 345 – Ellicott City/Columbia to Washington, D.C.
- 420 – Hickory to Hopkins Hospital/Baltimore

Additionally, there are transit projects that were amendments to the 2024-2027 TIP, which means they were changed from the previous conformity determination, or were new projects

added in. These were reviewed by ICG, and all determined to be exempt. A full list of the projects in the 2025-2028 TIP, which includes these, can be found in Appendix C.

- MTA – Commuter Rail: Martin Airport Accessibility
- Annapolis Electric Passenger Ferry Pilot Program
- Baltimore City Ferry Service Improvements
- Aberdeen Transit Oriented Development Station Square Project
- RAISE Transit Priority Project
- Low or No Emission Anne Arundel County Bus Program
- MARC Facilities
- Baltimore Penn Station Multimodal Investments
- Penn-Camden Connector

### Transit Modeling Results

BMC used InSITE to estimate horizon years 2019, 2023, 2025, 2035, 2045 and 2050 mobile source emissions. The following are horizon year linked person transit trips by purpose (see Table 3) using model region transit (MDOT MTA, WMATA, and LOTS).

**Table 3. Average Weekday Person Transit Trips Projections**

	2019	2023	2025	2035	2045	2050
<b>Mandatory</b>						
<b>Work</b>	93,900	95,500	94,200	97,900	106,700	107,500
<b>School/University</b>	17,200	18,500	18,800	18,500	19,300	17,500
<b>Non-Mandatory</b>						
<b>Meal</b>	13,200	12,800	12,800	13,600	15,100	14,800
<b>Shop</b>	26,200	26,200	27,000	28,000	30,500	30,600
<b>Personal Business</b>	25,800	27,700	27,300	28,300	31,300	31,100
<b>Social Recreation</b>	13,700	14,200	14,200	15,200	16,500	17,000
<b>Escort</b>	14,400	14,400	14,400	14,900	16,100	16,100
<b>Return Home</b>	108,100	110,000	109,400	113,700	122,800	121,600
<b>Total</b>	<b>312,500</b>	<b>319,300</b>	<b>318,400</b>	<b>330,100</b>	<b>358,300</b>	<b>356,200</b>

For an overview of transit services in the region, reference Appendix I for more information.

## Toll Facilities

The Baltimore region currently has seven toll facilities, including three harbor crossings\*, one managed lane facility, the Chesapeake Bay crossing and two Susquehanna River crossings. The Maryland Transportation Authority (MDTA) has implemented video and electronic toll transponder transactions toll collection on all toll facilities. All transactions are now at highway speeds at these facilities. The passenger car toll for the harbor crossings is \$6.00 for video transactions, \$3.00 for Maryland EZ Pass users or \$1.40 for commuter plan users. For additional tolling information on the harbor crossings, including truck tolls, see:

<https://driveezmd.com/toll-rate-calculator/> or <https://mdta.maryland.gov/TollRatesTables>

The harbor crossings include:

- I-95, Fort McHenry Tunnel
- I-895, Baltimore Harbor Tunnel
- I-695, Francis Scott Key Bridge\*
  - \*The Key Bridge collapsed on March 26, 2024 due to a ship collision. That harbor crossing will be out for multiple years, minimally.

The managed lane facility, known as Express Toll Lanes (ETL), is on I-95 north of Baltimore. It connects I-95 and I-895 on the eastern edge of Baltimore City to MD 43, White Marsh Boulevard and I-95 north, a distance of eight miles. The ETL's are tolled at a per-mile rate, which amounts to \$2.54 peak / \$2.19 off-peak for video toll users and \$1.54 peak / \$1.19 off-peak for electronic toll users. For more information on the ETL toll rates see:

<https://mdta.maryland.gov/TollRatesTables>

The Bay Bridge (U.S. 50/301) toll for passenger cars is \$6.00 for video transactions, \$2.50 for Maryland EZ Pass users, \$2.00 for shoppers, and \$1.40 for commuter plan users.

Within InSITE, the effects of tolls are reflected in usual place of work & school long term choice, tour/trip destination choice, mode choice and route assignment. The tolls are converted to travel time segmenting person into five Value of Time (VOT) groups with an average per hour value of \$2.49, \$5.33, \$8.64, \$13.85, and \$31.38. The VOT is added to the toll and ETLs calculated travel time based on the travel speed. The travel cost (time) is fed into work and school long term and tour/trip destination choice. During mode choice, the dollar cost of traveling on the ETL is calculated and added to the auto operating cost for the utility of single occupant vehicle (SOV) and shared ride. Route choice travel time for all roads is based on the travel time to traverse the road section, including the toll time where applicable. The assignment algorithm chooses the path that minimizes travel time. During periods of high congestion, the ETLs become the preferred choice over the general purpose lanes due to their time (cost) savings.

## Selection of Network Facilities

A series of computerized highway and transit networks was prepared and tested for each modeled horizon year (2023, 2025, 2035, 2045, and 2050) under the Plan and TIP implementation

scenario. The implementation scenario is the future transportation system that will result from the goals and policies proposed in the Plan and TIP in given horizon years. Criteria for inclusion of highway and transit improvements in the implementation scenario were reviewed by the ICG, including voting representatives from MDOT, MDE, and BRTB as well as advisory members from FHWA, FTA, and EPA. As described above, the ICG members discuss which projects in the Plan and TIP, as well as regionally significant projects, are exempt from the regional emission analysis.

Additionally, BRTB member jurisdictions provided highway and transit project specifications for all regionally significant non-federally funded highway and transit projects that have committed funding sources and could reasonably be expected to be completed by the appropriate analysis year.

The following were included:

- All in-place regionally significant highway and transit facilities, services, and activities;
- Completion of all regionally significant projects (including facilities, services, and activities) included in the proposed Plan and TIP;
- Completion of all expected regionally significant non-FHWA/FTA highway and transit projects that have clear funding sources and commitments leading toward their implementation and completion by the analysis year.

## **TECHNICAL METHODOLOGY**

The mobile source emission estimation process relies on EPA's MOVES3 using simulated transportation demand, observed environmental conditions, and federal and state adopted motor vehicle emission control regulations. Transportation demand is simulated using the region's InSITE, Activity Based Model (ABM). The InSITE model uses 1) a household/population synthesizer in estimation household and person characteristics and household person roster, 2) a micro travel simulation estimating long-term choices and person trip roster, the average weekday travel sequence (location, time of day, and mode) for each person, and 3) a freight modeling system capturing long distance commodity flows, and local freight and commercial truck/vehicle goods, deliveries, and service tours. The InSITE model incorporates the latest planning assumptions. [InSITE model documentation](#) describing development, estimation, calibration and validation is publicly available. The summary of this report is included in Appendix E of this conformity report.

Representative highway and transit networks and trip tables were developed to correspond with conditions expected in the horizon years of 2023, 2025, 2035, 2045 and 2050 reflecting projects in the 2025-2028 TIP and *Resilience 2050*.

### **Procedures for Determining Regional Transportation-Related Emissions**

The Baltimore region is using EPA's MOVES3 model for estimating mobile source emissions. A commercially-available software package, *Central*, was used to manage the process of connecting travel model output to the MOVES3 model that estimates mobile source emissions. The Central package processes travel demand model output and generates the needed MOVES

transportation files then exports the information into the appropriate MOVES database. Other non-transportation databases (meteorological data, vehicle registration, motor fuel parameters and Inspection and Maintenance (IM)) are imported into the appropriate MOVES database. After importing local planning assumptions, the MOVES emissions model is used to generate gram per mile emission factors which are applied to the local travel activity. The process is completed by generating user-friendly summaries of the MOVES output emission databases.

The following general steps summarize the mobile emission estimation process:

- Output travel demand model estimates of daily-, a.m.- and p.m. peak-period link passenger vehicle and truck volumes;
- Convert travel demand model estimates of daily link total and truck volume to seasonal Highway Performance Monitoring System (HPMS) adjusted hourly estimates;
- Estimate link volume by vehicle class (motorcycle, 2 axle, bus, and 2 axle 6 tire and 3+ axles)
- Calculate new travel speed;
- Prepare MOVES transportation related files;
- Prepare MOVES non-transportation assumptions, environmental assumptions, control program specification files, fuel parameter, source type, population, and fleet age distribution;
- Execute MOVES, estimating mobile gram per mile composite emissions for each pollutant and by vehicle type; and
- Develop summaries showing estimated mobile source emissions by vehicle type for each pollutant and converted to tons per day.

The Conformity Rule contains transportation-related emissions determination procedures that must be implemented in nonattainment areas. The Baltimore region has maintained a process for a number of years that meets the modeling requirements under §93.122(b)(1)(i) through (vi) for designated severe ozone nonattainment areas. Since the revocation of the 1-hour ozone standard on June 15, 2005, the Baltimore region is no longer a severe nonattainment area for 1-hour ozone. As mentioned previously, the region is a designated moderate nonattainment area for the 2008 and 2015 8-hour ozone standard. However, the region still follows the same procedures and meets the requirements of a severe nonattainment designation. BMC staff, on behalf of the BRTB, simulates travel demand associated with implementation of plans and programs. MDE is responsible for all non-transportation emissions model inputs.

Travel information within a database format (dBase) is used in exchanging link characteristics between the travel demand modeling software CUBE and PPSUITE. Estimated link volume is adjusted using jurisdiction HPMS factors and seasonal factors (1.04 percent for average summer weekday and 0.938 percent for average winter weekday) by facility type and area type. The HPMS factors are derived from the 2019 travel demand model. The 2019 HPMS adjustment factors used are provided in Appendix F. The 2019 HPMS factors are closer to one on the upper class facilities and are greater as the facility class decreases due to less representation of the highway network



within the travel demand model. The travel model includes all interstates but only skeletal representation of the lower class facilities, especially in the more developed jurisdictions. Factoring by the HPMS factors compensates for differences between simulated volume (from the travel model) and estimated observed volume. During the adjustment process, an estimate of local (off-network) VMT is made using the ratio of local to non-local 2019 HPMS estimates applied to the adjusted model estimates. These ratios are also shown in Appendix F. These three steps, as shown below, reconcile the travel demand model with 2019 estimated observed volume.

- Applying the HPMS factors;
- Applying the seasonal factors; and
- Estimating local VMT.

The HPMS and seasonal factors are also applied to horizon year estimates of VMT; thereby reconciling horizon year estimates with the ratio of unexplained volume in the base year 2019. This reconciliation ultimately allows the travel model to provide an estimate for all regional VMT.

Travel demand model outputs simulate volume in eight time periods, while the MOVES model utilizes hourly inputs. Therefore, vehicle type pattern files are used to convert simulated period volume into hourly volume. The vehicle type pattern files are broken into four vehicle classes (motorcycle, 2-axle 4-tire, bus, and 2-axle 6-tire/3+ axle). These files are developed using two types of counts: observed counts taken hourly for all vehicles; and hourly classified counts (FHWA F-13 scheme), summarized by facility and area type (urban/rural). The counts are used to develop estimates of the share of the volume per hour. These estimates are applied against the simulated link time period volume (a.m. and p.m. peak, mid-day and overnight) by facility and area type.

Each link's hourly vehicle type volume is compared against the modification to the Bureau of Public Roads curve used in highway trip table loading. As with the travel demand model, Passenger Car Equivalence is used for the estimated truck volume. Each hourly volume is also subject to peak spreading where individual hourly volumes that exceeds 30% of the maximum volume is spread to other hours within the peak period. The final estimate is a new travel time and speed estimated on each HPMS adjusted link volume considering peak spreading.

Standard MOVES input files of VMT by facility, VMT by hour, and VMT by speed bin are developed using information from the travel model and air quality post-processor. An exact description of the data estimated can be found in the MOVES User Guide developed by EPA. The fraction of VMT for each vehicle type is calculated from the HPMS adjusted link volume.

Central then assembles the MOVES information such as source type population for the Baltimore region, environmental conditions (such as temperature), control programs, and transportation information described in the above steps. National defaults are used for the more complex and data intensive inputs into MOVES. MOVES scripts are built for each area type (urban or rural) and facility type within each jurisdiction (only for the assembly of the transportation information, since neither environmental conditions nor control programs vary across the non-attainment area).

The assembled MOVES scripts are submitted to the MOVES software, which generates the database output (ASCII database) and the report. The output gives the gram per mile emission factors for each pollutant, for each of the vehicle types. The gram per mile factor is a composite factor based on the age distribution, transportation characteristics, environmental conditions, and control program applicable for that vehicle type.

The MOVES model generates a VMT fraction share for all vehicle types based on supplied information (registration data, diesel sales fractions, and mileage accumulation rates). This fraction share can be used to generate a composite emission factor that can be applied to the estimated VMT or can be used to convert regional VMT into an estimate of VMT for each vehicle type and then factored by the gram per mile emission factor for that particular vehicle. Both methods would produce the same estimate of VMT. The latter method is used in order to generate more specific reports about emissions and VMT for the region.

The final step is to accumulate the estimate of VMT and emissions for the various vehicle types and facility types.

### **Meteorological and Control Strategy Assumptions**

In cooperation between BMC and MDE staff, assumptions used within the MOVES3 emissions model are reviewed and validated with the latest information on environmental conditions and MOVES3 commands representing control strategies and other policies.

The monthly analysis of mobile source emissions required the development of average hourly and monthly temperatures and humidity along with daily estimate of barometric pressure. The BWI weather reporting station observations were analyzed to develop the required input. Other monthly assumptions in fuel composition and volatility were estimated or used the MOVES default for that month.

The MOVES script for the Inspection and Maintenance program reflects the current test procedures in use at the various state inspection stations.

### **Francis Scott Key Bridge Collapse Assumptions**

On March 26, 2024, the Francis Scott Key Bridge main span collapsed after the container ship Dali struck one of the bridge's support piers. With the collapse, trip origins and destinations that are separated by the harbor have to use either the harbor or Fort McHenry tunnels, travel through Baltimore City, or travel around the city using the Baltimore Beltway (I-695). The Biden administration has pledged Federal support for bridge reconstruction and MDOT is actively working on new bridge concepts and preparing environmental and other policy-required analysis and reviews. A reconstructed bridge opening date has not been determined. The 2025-2028 TIP mobile source emission analysis assumes that the bridge reconstruction will happen between the 2025 and 2035 horizon years. As such, the bridge collapse only affects the 2025 horizon year.

The Maryland Transportation Authority (MDTA) implemented a data collection effort to monitor alternative travel routes and assess changes in travel behavior and choices. The traffic count data collection effort has revealed fluctuation in peak and daily alternative route volumes as travelers adjust to the reduction in harbor crossing capacity. No emerging alternative travel pattern has been revealed at this time. The data collection effort has been limited to traffic counts. A Francis Scott Key bridge user survey is needed to understand what changes, such as alternative destinations, time of day, mode, and/or deferring travel, users have made.

The 2025-2028 TIP horizon year 2025 mobile source emission estimate was completed using a methodology similar to Federal Transit News Starts Analysis. Mode choice is developed by applying a fixed-person trip table to the transit network alternatives. The fixed-person trip table is normally developed by applying the travel model to the transportation network containing the proposed alternative to capture person trip table accessibility changes. The alternative analysis using the fixed trip table isolates the alternatives' impact on mode choice.

The horizon year 2025 mobile source emission analysis initially developed a vehicle trip table using a transportation network containing the Francis Scott Key Bridge. The region's travel model uses zone-to-zone travel time during destination choice, model choice, and other model components. Under this method, mandatory travel purposes such as work and non-mandatory such as personal business destination choice would include the Key Bridge in accessibility calculation.

The initially developed vehicle trip table was loaded onto a 2025 highway network without the Francis Scott Key Bridge. The assumption is the longer-term work and personal business destination choice would not change in 2025 due to the bridge collapse. The 2025 simulated volume captures Francis Scott Key Bridge users' alternative travel routes and the impact on link volumes and travel speed. Seasonal and HPMS adjustments were applied and used as MOVES inputs to estimate mobile source emissions.

## ANALYSIS RESULTS

The results of the emissions analysis of the 2025-2028 TIP and Resilience 2050, as shown in Tables 4 and 5 below, demonstrate that emissions are below levels necessary to demonstrate conformity to the 1997 8-hour ozone standard, the 2008 8-hour ozone standard, and the 2015 8-hour ozone standard.

Average summer weekday emissions of VOCs and NOx resulting from the region’s transportation network in 2023, 2025, 2035, 2045, and 2050 are below the most recent approved/ adequate SIP budgets.

**Table 4. VOC Emissions Test Results** (average summer weekday, tons/day)

	2023	2025 w/ Key Bridge	2025 w/o Key Bridge	2035	2045	2050
<b>Total Emissions</b>	16.91	15.30	15.28	10.07	9.28	9.26
<b>Conformity Budget<sup>1</sup></b>	17.47	17.47	17.47	17.47	17.47	17.47
<b>Conformity Result</b>	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>

<sup>1</sup> 2023, 8-hour ozone MVEB for the Baltimore region (motor vehicle emission budgets determined adequate by EPA on August 18, 2023)

**Table 5. NOx Emissions Test Results** (average summer weekday, tons/day)

	2023	2025 w/ Key Bridge	2025 w/o Key Bridge	2035	2045	2050
<b>Total Emissions</b>	30.61	25.57	25.50	17.28	17.29	17.77
<b>Conformity Budget<sup>1</sup></b>	35.26	35.26	35.26	35.26	35.26	35.26
<b>Conformity Result</b>	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>

<sup>1</sup> 2023, 8-hour ozone MVEB for the Baltimore region (motor vehicle emission budgets determined adequate by EPA on August 18, 2023)